

	Application No.	Applicant(s)
Notice of Allowability	10/730,583	WANG, BAOLIANG
	Examiner	Art Unit
	Michael P. Stafira	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. \boxtimes This communication is responsive to <u>amendment filed July</u>	<u>1, 2005</u> .	
2. The allowed claim(s) is/are <u>1-22</u> .		
3. The drawings filed on <u>08 December 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	Patent Application (PTO-152)
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
 3. Information Disclosure Statements (PTQ-1449 or PTO/SB/0 Paper No./Mail Date 6/6/2005 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	Paper No./Mail Dat 08), 7. Examiner's Amendr	te
,		

Application/Control Number: 10/730,583 Page 2

Art Unit: 2877

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-22 are allowed over the prior art of record.

2. The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the prior art fails to disclose or make obvious a method of determining a birefringence property of a sample having the step of separately directing through the sample a first beam of polarization-modulated light having a first wavelength and a second beam of polarization-modulated light having a second wavelength, the first and second wavelengths being different and modulating the polarization of the first and second beams after those beams pass through the sample, and in combination with the other recited limitations of claim 1. Claims 2-15, 17, 18 are allowed by the virtue of dependency on the allowed claim 1.

Regarding claim 16, the prior art fails to disclose or make obvious a method of measuring birefringence properties of a sample having the step of separately directing through the sample at least three light beams comprising a first beam of polarization-modulated light having a first wavelength, a second beam of polarization-modulated light having a second wavelength, and a third beam of polarization-modulated light having a third wavelength, the first, second, and third wavelengths being different from one another, and modulating the polarization of the first, second, and third beams after those beams pass through the sample, and in combination with the other recited limitations of claim 16.

Regarding claim 19, the prior art fails to disclose or make obvious a system for measuring birefringence properties in a sample having a means for modulating the polarization

Art Unit: 2877

of the light beams, including two photoelastic modulators arranged with the sample between the photoelastic modulators and a detection means for detecting the intensity of the beams and using the detected intensities to provide information suitable for calculating a birefringence property of the sample based on the detected intensities, and in combination with the other recited limitations of claim 19. Claims 20-22 are allowed by the virtue of dependency on the allowed claim 19.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Stafira whose telephone number is 571-272-2430. The examiner can normally be reached on 4/10 Schedule Mon.-Thurs...

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Toatley can be reached on 571-272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/730,583

Art Unit: 2877

Michael P. Stafira Primary Examiner Art Unit 2877

July 6, 2005